

Camelion®
...for more energy

25
year
anniversary

BATTERY • RECHARGEABLE • CHARGER • POWERBANK • FLASHLIGHT

www.camelion.com

Camelion[®]

...for more energy

Empower Every Possibility with More Energy Solutions

Camelion has been providing energy solutions to customers worldwide for over 25 years. As one of the most influential energy solution brands in the global market, Camelion is now actively operating in over 120 countries and regions in collaboration with our business partners. Our mission is to satisfy our customers with the finest quality products, customer-friendly price and thoughtful services. Whenever and wherever you are in need, we are always ready for your help with all the energy solutions you need.

Just try us out!



Content

Primary Batteries

Lithium	6
Ultra Alkaline	8
Plus Alkaline	10
Digi Alkaline	16
Super Heavy Duty (Green)	18
Super Heavy Duty (Blue)	22
Photo Lithium	24

Promotional

Metal Displays	62
Display Box	64

Electronic Button Cells

Electronics Lithium	28
Electronics Alkaline	30
Remote Control Batteries	32
Electronics Silver Oxide	34
Zinc Air	36
Battery Selection Chart	39

Mobile Lights

Classic LED Flashlights	68
Search Lights	72
Multi-purpose Lights	74

Rechargeable Batteries

AlwaysReady	42
Ni-MH	46

Battery Charger

BC-1091DB	53
BC-1010B	54
BC-1092M	55
LBC-321	56
LBC-305	57
Battery Charging Time Table	59



Camelion®

Primary Batteries

Whether you need power for your digital camera, MP3 player, PDA or remote control, Camelion primary batteries have you covered. Our Alkaline, Lithium and Zinc-Carbon batteries are reliable, long-lasting and easy to use. They deliver consistent performance and quality for all your devices. Our Zinc-Carbon batteries are also leak-proof, durable and economical. They are perfect for low-drain applications such as flashlights, radio/tape recorders, remote controls and watches.

Choose Camelion primary batteries and enjoy the freedom and flexibility of powering your devices anytime, anywhere.

Lithium

Camelion Lithium P7™ batteries offer a unique combination of lightness and high energy density. As Camelion's most powerful primary battery, the P7 batteries, offer unbeatable performance for your high drain devices such as digital cameras, music players and games. It can be stored up to 10 years.





Lithium

- Exceptional performance for high drain devices
- Up to 7X longer usage time than normal alkaline batteries when used in high drain devices
- 10-year storage life
- Super lightweight battery
- Higher operating voltage and flatter discharge curve
- Superior leakage resistance



FR6-BP2

Art.-No.: 19000206

1.5V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)	



FR03-BP2

Art.-No.: 19000203

1.5V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	8.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)	



9V Lithium Battery

The new **Lithium 9V** battery from Camelion is a high capacity battery designed to provide long lasting life and stable operating voltage.

- Up to 5x Longer Lasting*
- Low Self Discharge
- Anti leakage crimp design
- Temperature Range -20°C to +55°C
- Non-rechargeable
- 10 Year Shelf Life
- High And Stable Operating Voltage

*compared to alkaline batteries. Camelion 2010 Lab Tests.



CR9V-SP1

Art.-No.: 19101122

9V



Packaging		Gross Weight:
Shrink	1 pcs/pack	14.5 kg
Inner Box	20 packs/box	Volume:
Outer Carton	200 packs/carton	0.0083 cbm
Dimensions		
Shrink (mm)	25.5(W) x 48.5(H) x 17.5(D)	
Inner Box (mm)	145(L) x 74(W) x 54(H)	
Outer Carton (cm)	39.0(L) x 17.5(W) x 13.5(H)	



CR9V-BP1

Art.-No.: 19001122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	8.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	

Ultra Alkaline

Camelion Ultra Alkaline™ batteries are engineered to provide maximum power for premium digital devices such as digital and instant cameras, blood pressure monitors, game controllers, drones, and more that need precise and ever-demanding energy. It is our #1 long-lasting MAX power alkaline battery.





Ultra Alkaline

- Maximum Power
- Anti-Leak Protection
- 10-Year Shelf Life



LR03-BP4UT

Art.-No.: 11060403

1.5V AAA



4 260216 458026

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP4UT

Art.-No.: 11060406

1.5V AA



4 260216 458033

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:

15.22 kg

Volume:

0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR03-BP2UT

Art.-No.: 11060203

1.5V AAA



4 260216 458002

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:

9.1 kg

Volume:

0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP2UT

Art.-No.: 11060206

1.5V AA



4 260216 458019

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	216 packs/carton

Gross Weight:

12.6 kg

Volume:

0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)

Plus Alkaline

Camelion Plus Alkaline Batteries offer reliable and long-lasting power for your devices. The batteries are specially designed to deliver stable and long-term current, supporting devices such as remote control, toys, smart lock, smart sensors and electronic gaming devices.





Plus Alkaline

- Efficient discharge and long-lasting power performance
- Sustain high-drain devices with powerful energy
- Unique anti-leakage seal technology
- Extended storage life for up to 10 years
- Mercury and cadmium free



LR03-BP2

Art.-No.: 11000203

1.5V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP2

Art.-No.: 11000206

1.5V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR14-BP2

Art.-No.: 11000214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR20-BP2

Art.-No.: 11000220

1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



6LR61-BP1

Art.-No.: 11000122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



6LR61 bulk

Art.-No.: 11090022



Packaging		Gross Weight:
Inner Box	12 packs/box	11.4 kg
Outer Carton	240 packs/carton	Volume:
		0.0083 cbm

Dimensions	
Single (mm)	25.5(W) x 48.5(H) x 17.5(D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 23.0(W) x 12.5(H)



LR03 bulk

Art.-No.: 11090003

1.5V AAA



Packaging		Gross Weight:
Inner Box	60 pcs/box	17.8 kg
Outer Carton	1200 pcs/carton	Volume:
		0.0096 cbm

Dimensions	
Single (mm)	14(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	23.5(L) x 21.5(W) x 19.0(H)



LR6 bulk

Art.-No.: 11090006

1.5V AA



Packaging		Gross Weight:
Inner Box	60 pcs/box	11.2 kg
Outer Carton	720 pcs/carton	Volume:
		0.0246 cbm

Dimensions	
Single (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Plus Alkaline



LR03-SP4

Art.-No.: 11100403

1.5V AAA



Packaging		Gross Weight:
Shrink	4 pcs/pack	14.7 kg
Inner Box	15 packs/box	Volume:
Outer Carton	300 packs/carton	0.0084 cbm

Dimensions	
Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	29.0(L) x 20.0(W) x 14.5(H)



LR6-SP4

Art.-No.: 11100406

1.5V AA



Packaging		Gross Weight:
Shrink	4 pcs/pack	17.8 kg
Inner Box	15 packs/box	Volume:
Outer Carton	180 packs/carton	0.0096 cbm

Dimensions	
Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	23.5(L) x 21.5(W) x 19.0(H)



LR14-SP2

Art.-No.: 11100214

1.5V C



Packaging		Gross Weight:
Shrink	2 pcs/pack	16.6 kg
Inner Box	6 packs/box	Volume:
Outer Carton	120 packs/carton	0.0123 cbm

Dimensions	
Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	107(L) x 81(W) x 56(H)
Outer Carton (cm)	29.5(L) x 22.5(W) x 18.5(H)



LR20-SP2

Art.-No.: 11100220

1.5V D



Packaging		Gross Weight:
Shrink	2 pcs/pack	16.7 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0122 cbm

Dimensions	
Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	35.5(L) x 15.0(W) x 23.0(H)



6LR61-SP1

Art.-No.: 11100122

9V



Packaging		Gross Weight:
Shrink	1 pcs/pack	11.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0083 cbm

Dimensions	
Shrink (mm)	25.5(W) x 48.5(H) x 17.5(D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 23.0(W) x 12.5(H)



6LR61-PB6

Art.-No.: 11100622

9V



Packaging		Gross Weight:
Box	6 pcs/pack	7.8 kg
Inner Box	6 pcs/box	Volume:
Outer Carton	24 packs/carton	0.0105 cbm

Dimensions	
Shrink (mm)	71(W) x 68(H) x 49(D)
Inner Box (mm)	210(W) x 148(H) x 60(D)
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)



LR6-PB24

Art.-No.: 11102406

1.5V AA



Packaging		Gross Weight:
Box	24 pcs/pack	15.0 kg
Outer Carton	30 packs/carton	Volume:
		0.0190 cbm

Dimensions	
Plastic box (mm)	98(L) x 75(W) x 50(H)
Outer Carton (cm)	42.5(L) x 22(W) x 19(H)



LR03-PB24

Art.-No.: 11102403

1.5V AAA



Packaging		Gross Weight:
Blister	24 pcs/pack	9.0 kg
Outer Carton	30 packs/carton	Volume:
		0.0107 cbm

Dimensions	
Plastic box (mm)	80(L) x 60(W) x 45(H)
Outer Carton (cm)	34.5(L) x 18.5(W) x 17.0(H)



LR03-BP4

Art.-No.: 11000403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP4

Art.-No.: 11000406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



4+4LR6

Art.-No.: 11044806

1.5V AA



Packaging		Gross Weight:
Blister	8 pcs/pack	15.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0199 cbm

Dimensions	
Blister (mm)	168(W) x 114(H) x 15(D)
Inner Box (mm)	175(L) x 140(W) x 10.8(H)
Outer Carton (cm)	43.5(L) x 19.0(W) x 24.0(H)



4+4LR03

Art.-No.: 11044803

1.5V AAA



Packaging		Gross Weight:
Blister	8 pcs/pack	8.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0147 cbm

Dimensions	
Blister (mm)	168(W) x 114(H) x 11(D)
Inner Box (mm)	175(L) x 130(W) x 85(H)
Outer Carton (cm)	40.5(L) x 19.0(W) x 19.0(H)



8+4LR6-BP

Art.-No.: 11084006

1.5V AA



Packaging		Gross Weight:
Blister	12 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0190 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 29(D)
Inner Box (mm)	132(L) x 100(W) x 137(H)
Outer Carton (cm)	29.5(L) x 28.5(W) x 22.5(H)



8+4LR03-BP

Art.-No.: 11084003

1.5V AAA



Packaging		Gross Weight:
Blister	12 pcs/pack	12.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	72 packs/carton	0.0207 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 21(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



LR6-SP10

Art.-No.: 11101006

1.5V AA



Packaging		Gross Weight:
Shrink	10 pcs/pack	10.0 kg
Inner Box	20 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm

Dimensions	
Inner Box (mm)	150(W) x 147(H) x 110(D)
Outer Carton (cm)	23.5(L) x 16.0(W) x 17.0(H)



LR03-SP10

Art.-No.: 11101003

1.5V AAA



Packaging		Gross Weight:
Shrink	10 pcs/pack	9.9 kg
Inner Box	40 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm

Dimensions	
Inner Box (mm)	213(W) x 110(H) x 100(D)
Outer Carton (cm)	23.5(L) x 22.5(W) x 12.0(H)



LR6-SP10+2

Art.-No.: 11101206

1.5V AA



Packaging		Gross Weight:
Shrink	12 pcs/pack	11.8 kg
Inner Box	20 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0079 cbm

Dimensions	
Inner Box (mm)	175(W) x 150(H) x 110(D)
Outer Carton (cm)	31.5(L) x 19.0(W) x 13.2(H)



LR03-SP10+2

Art.-No.: 11101203

1.5V AAA



Packaging		Gross Weight:
Shrink	12 pcs/pack	11.8 kg
Inner Box	20 packs/box	Volume:
Outer Carton	4 boxes/carton	0.0075 cbm

Dimensions	
Inner Box (mm)	130(W) x 110(H) x 100(D)
Outer Carton (cm)	23.5(L) x 14.5(W) x 22.0(H)

Plus Alkaline

Camelion Plus Alkaline Batteries offer reliable and long-lasting power for your devices. The batteries are specially designed to deliver stable and long-term current, supporting devices such as remote control, toys, smart lock, smart sensors and electronic gaming devices.





Plus Alkaline

- Efficient discharge and long-lasting power performance
- Sustain high-drain devices with powerful energy
- Unique anti-leakage seal technology
- Extended storage life for up to 10 years
- Mercury and cadmium free



LR61-BP2
Art.-No.: 11000261
1.5V AAAA



Packaging		Gross Weight:
Blister (mm)	1 pcs/pack	16.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0295 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 23(D)	
Inner Box (mm)	160(L) x 75(W) x 86(H)	
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)	



3LR12-BP1
Art.-No.: 11000112
4.5V



Packaging		Gross Weight:
Blister (mm)	1 pcs/pack	16.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0295 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 23(D)	
Inner Box (mm)	160(L) x 75(W) x 86(H)	
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)	



3LR12-SP1
Art.-No.: 11100112
4.5V



Packaging		Gross Weight:
Shrink	1 pcs/pack	16.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0233 cbm
Dimensions		
Shrink (mm)	62(W) x 65.5(H) x 22(D)	
Inner Box (mm)	188(L) x 90(W) x 65(H)	
Outer Carton (cm)	38.5(L) x 20.5(W) x 29.5(H)	



LR1-BP2
Art.-No.: 11000201
1.5V N



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	



LR1 bulk
Art.-No.: 11100101
1.5V N



Packaging		Gross Weight:
Blister	1 pcs/pack	16.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0295 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 23(D)	
Inner Box (mm)	160(L) x 75(W) x 86(H)	
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)	

Digi Alkaline

Camelion Digi Alkaline batteries are the right solution for many electronic devices including digital cameras, music players, and boom boxes. Using a new technology they offer long lasting power for high drain devices.





Digi Alkaline

- Low self-discharge - shelf life of up to 10 years
- Very good storage life with little capacity loss over time
- Stable voltage for high demands
- Suitable for use in extreme temperature fluctuations
- Longer storage time with maximum leakage protection
- Safety and stability thanks to improved bursting diaphragm



LR03-BP4DG

Art.-No.: 11210403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2DG

Art.-No.: 11210203

1.5V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP4DG

Art.-No.: 11210406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2DG

Art.-No.: 11210206

1.5V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR14-BP2DG

Art.-No.: 11210214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR20-BP2DG

Art.-No.: 11210220

1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



6LR61-BP1DG

Art.-No.: 11210122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Super Heavy Duty - Green

Camelion Super Heavy Duty Green Zinc Carbon Batteries are the perfect solution for small household electronic devices that require continuous power supply, such as clocks, flashlights, remote controls and transistor radios. By incorporating manganese dioxide and zinc/ammonium chloride, we've designed a leak-proof battery.





Super Heavy Duty

- Reliable battery technology
- Ultra-long lifespan
- Outstanding chemical constructure and quality
- PVC material ideal for economical choice
- No mercury and no cadmium added to the formula



R03P-BP4G
Art.-No.: 10000403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)	



R6P-BP4G
Art.-No.: 10000406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)	



6F22-BP1G
Art.-No.: 10000122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	



R14P-BP2G
Art.-No.: 10000214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 27(D)	
Inner Box (mm)	140(L) x 90(W) x 92(H)	
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)	



R20P-BP2G
Art.-No.: 10000220

1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 34(D)	
Inner Box (mm)	160(L) x 110(W) x 92(H)	
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)	

Super Heavy Duty



R03P-SP4G

Art.-No.: 10100403

1.5V AAA



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



R6P-SP4G

Art.-No.: 10100406

1.5V AA



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight:

15.22 kg

Volume:

0.0185 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 86(H)
Outer Carton (cm) 29.0(L) x 28.3(W) x 22.5(H)



6F22-SP1G

Art.-No.: 10100122

9V



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



R14P-SP2G

Art.-No.: 10100214

1.5V C



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight:

15.22 kg

Volume:

0.0185 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 86(H)
Outer Carton (cm) 29.0(L) x 28.3(W) x 22.5(H)



R20P-SP2G

Art.-No.: 10100220

1.5V D



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



R03P-SP8G

Art.-No.: 10108003

1.5V AAA



Packaging		Gross Weight:
Blister	8 pcs/pack	15.3 kg
Inner Box	40 packs/box	Volume:
Outer Carton	6 boxes/carton	0.0141 cbm

Dimensions

Inner Box (mm)	170(L) x 110(W) x 100(H)
Outer Carton (cm)	31.5(L) x 23.5(W) x 19.5(H)



R6P-SP8G

Art.-No.: 10108006

1.5V AA



Packaging		Gross Weight:
Blister	8 pcs/pack	14.7 kg
Inner Box	20 packs/box	Volume:
Outer Carton	6 boxes/carton	0.0147 cbm

Dimensions

Inner Box (mm)	150(L) x 118(W) x 110(H)
Outer Carton (cm)	34.5(L) x 25.0(W) x 17.0(H)



R03P-SP12G

Art.-No.: 10101203

1.5V AAA



Packaging		Gross Weight:
Blister	12 pcs/pack	14.8 kg
Inner Box	20 packs/box	Volume:
Outer Carton	8 boxes/carton	0.0143 cbm

Dimensions

Inner Box (mm)	130(L) x 110(W) x 100(H)
Outer Carton (cm)	27.5(L) x 23.5(W) x 22.0(H)



R6P-SP12G

Art.-No.: 10101206

1.5V AA



Packaging		Gross Weight:
Blister	12 pcs/pack	16.5 kg
Inner Box	6 packs/box	Volume:
Outer Carton	8 boxes/carton	0.0127 cbm

Dimensions

Inner Box (mm)	175(L) x 150(W) x 110(H)
Outer Carton (cm)	31.5(L) x 19.0(W) x 24.0(H)



FPG-GB25

Art.-No.: 10102500-1

1.5V 9V



Packaging		Gross Weight:
Inner Box	25 pcs/pack	7.7 kg
Outer Carton	24 boxes/carton	Volume:
		0.0079 cbm

Dimensions

Inner Box (mm)	141(L) x 30(W) x 52(H)
Outer Carton (cm)	30.0(L) x 21.0(W) x 12.5(H)



FPG-GB40

Art.-No.: 10104000

1.5V



Packaging		Gross Weight:
24 x R6P + 12 x R03P + 4 x R14P + 1 x SL3013(Blue LR44)		13.0 kg
Outer Carton	18 boxes/carton	Volume:
		0.0223 cbm

Dimensions

Box (mm)	132(L) x 126(W) x 54(H)
Outer Carton (cm)	40.0(L) x 28.0(W) x 19.5(H)



FPG-GB72

Art.-No.: 10197200-1

1.5V



Packaging		Gross Weight:
Inner Box	72 pcs/pack	9.84 kg
Outer Carton	12 boxes/carton	Volume:
		0.0106 cbm

Dimensions

Inner Box (mm)	150(L) x 35(W) x 127(H)
Outer Carton (cm)	31.5(L) x 27.0(W) x 12.5(H)

Super Heavy Duty - Blue

Camelion Super Heavy Duty Blue Zinc Carbon Batteries are the perfect solution for small household electronic devices that require continuous power supply, such as clocks, flashlights, remote controls and transistor radios. By incorporating manganese dioxide and zinc/ammonium chloride, we've designed a leak-proof battery.





Super Heavy Duty

- Reliable battery technology
- Ultra-long lifespan
- Outstanding chemical constructure and quality
- No mercury and no cadmium added to the formula



R03P-BP4B

Art.-No.: 10200403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)	



R6P-BP4B

Art.-No.: 10200406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)	



6F22-BP1B

Art.-No.: 10200122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	



R14P-BP2B

Art.-No.: 10200214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 27(D)	
Inner Box (mm)	140(L) x 90(W) x 92(H)	
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)	



R20P-BP2B

Art.-No.: 10200220

1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 34(D)	
Inner Box (mm)	160(L) x 110(W) x 92(H)	
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)	

Photo Lithium

Camelion Photo Lithium Batteries are ideal for a wide range of cameras, flashlights, meters and more.





3V Photo Lithium

- Powerful output with large capacity, providing stable power for electronic devices
- Mercury and cadmium free
- Perfect for devices with limited space



CR123A-BP1

Art.-No.: 19001123

3V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 17.5(D)
Inner Box (mm) 118(L) x 95(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 21.5(H)



Gross Weight: 5.5 kg
Volume: 0.0243 cbm



CR2-BP1

Art.-No.: 19001142

3V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 16.5(D)
Inner Box (mm) 118(L) x 85(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 19.0(H)



Gross Weight: 4.5 kg
Volume: 0.0215 cbm



6V Photo Lithium

- Offers more power for demanding applications.
- Cameras, flash units and other devices
- Ideal for cameras and flash units that require a longer runtime.



CR-P2-BP1

Art.-No.: 19001152

6V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 20.5(D)
Inner Box (mm) 118(L) x 105(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 23.5(H)



Gross Weight: 10.0 kg
Volume: 0.0265 cbm



2CR5-BP1

Art.-No.: 19001125

6V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 18(D)
Inner Box (mm) 118(L) x 105(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 23.5(H)



Gross Weight: 10.0 kg
Volume: 0.0265 cbm



Camelion®


Electronic Button Cells

Camelion Electronic Button Cells provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc air chemistries, depending upon voltage and size requirements of your equipment. They are suitable for car keys, calculators, laser points, hearing aids and many other electronic gadgets.

Electronics Lithium 3V

Camelion Lithium Button Cells are powerful batteries made of lithium and manganese dioxide with 3.0V voltage. They have a stainless steel casing, a high energy density and a long durability. They are suitable for many devices such as computers, cameras, alarm systems etc.





Electronics Lithium 3V

- Powerful and stable performance
- Low self-discharge, long storage life
- Outstanding anti-leakage feature
- High energy density
- No mercury and cadmium added to the formulation




ITEM	ITEM NO.	EAN	PACKAGING WxHxD(mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W.(kg)	VOLUME (m³)
CR1216-BP1	13001216	4260033152831	55 x 92 x 3 1 PC / BLISTER	98 x 37 x 58 10 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	6.0	0.0451
CR1220-BP1	13001122	4260033152824				6.5	
CR1225-BP1	13001225	4260033152817				5.5	
CR1616-BP1	13001161	4260033152800				6.8	
CR1620-BP1	13001620	4260033152794				7.0	
CR1632-BP1	13001632	4260033152923				8.6	
CR2016-BP1	13001016	4260033152787				7.2	
CR2025-BP1	13001025	4260033152770				9.1	
CR2032-BP1	13001032	4260033152763				10.1	
CR2320-BP1	13001320	4260033152756				98 x 55 x 57 10 PACKS	
CR2325-BP1	13001325	4260033152848	13.0				
CR2330-BP1	13001330	4260033152749	13.6				
CR2354-BP1	13001354	4260216456596	14.0				
CR2430-BP1	13001430	4260033152732	20.7				
CR2450-BP1	13001450	4260033152725	20.7				
CR2477-BP1	13001477	4260216455353	27.3				
CR927-BP1	13001927	4260216452475	6.2				
CR1216-BP5	13005216	4260033152718	55 x 190 x 3 5 PCS / BLISTER	195 x 105 x 64 30 PACKS	45.5 x 20.5 x 20.5 360 PACKS	6.0	0.0191
CR1220-BP5	13005122	4260033152701				6.0	
CR1225-BP5	13005225	4260033152695				5.5	
CR1616-BP5	13005161	4260033152688				6.3	
CR1620-BP5	13005620	4260033152671				6.5	
CR1632-BP5	13005632	4260216455797				8.1	
CR2016-BP5	13005016	4260033152664				7.2	
CR2025-BP5	13005025	4260033152657				8.6	
CR2032-BP5	13005032	4260033152640				9.6	
CR2430-BP5	13005430	4260216455803	55 x 227 x 3 5 PCS / BLISTER	230 x 130 x 75 30 PACKS	54.5 x 24.0 x 24.7 360 PACKS	13.3	0.0323
CR2450-BP5	13005450	4260216455810				16.9	

Electronics Alkaline 1.5V

Camelion Alkaline Button Cells are powered by a zinc manganese dioxide electrochemical system that provides a reliable and long-lasting energy source. They have a nominal voltage of 1.5V and a stainless steel casing that protects them from corrosion and leakage. With a shelf life of about 5 years these button cells are ideal for watches, calculators, toys, lights and other small devices that require low to moderate power.





Electronics Alkaline 1.5V

- Powerful and stable performance
- Ideal for high drain electronic gadgets
- Reliable, steady power output
- No mercury and cadmium added to the formula
- Broad scope of applications



ITEM(0%Hg)	ITEM NO.	EAN	PACKAGING WxHxD (mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W. (kg)	VOLUME (m³)
AG1-BP2(0%Hg)	12050201	4260216454783	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	7.0	0.0379
AG2-BP2(0%Hg)	12050202	4260216454790				7.8	
AG3-BP2(0%Hg)	12050203	4260216454806				8.0	
AG4-BP2(0%Hg)	12050204	4260216454622				7.0	
AG5-BP2(0%Hg)	12050205	4260216454813	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.0	0.0451
AG6-BP2(0%Hg)	12050206	4260216454820	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	8.0	0.0379
AG7-BP2(0%Hg)	12050207	4260216454837				8.5	
AG8-BP2(0%Hg)	12050208	4260216454844				9.0	
AG9-BP2(0%Hg)	12050209	4260216454851				9.0	
AG10-BP2(0%Hg)	12050210	4260216454608				10.0	
AG11-BP2(0%Hg)	12050211	4260216454868				7.0	
AG12-BP2(0%Hg)	12050212	4260216454875	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	11.0	0.0451
AG13-BP2(0%Hg)	12050213	4260216454615				13.0	
625A-BP1(0%Hg)	12050125	4260216454882	56 x 92 x 7 1 PC / BLISTER	146 x 98 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	18.0	0.0451
AG0-BP10(0%Hg)	12051000	4260216454899	50x 160 x 5 10 PCS / BLISTER	170 x 40 x 52 20 PACKS	50.0 x 20.0 x 20.0 360 PACKS	4.0	0.0198
AG1-BP10(0%Hg)	12051001	4260216454905				4.0	
AG2-BP10(0%Hg)	12051002	4260216454912				4.5	
AG3-BP10(0%Hg)	12051003	4260216454929				5.0	
AG4-BP10(0%Hg)	12051004	4260216454400				4.0	
AG5-BP10(0%Hg)	12051005	4260216454936				6.5	
AG6-BP10(0%Hg)	12051006	4260216454943				5.0	
AG7-BP10(0%Hg)	12051007	4260216454950				5.5	
AG8-BP10(0%Hg)	12051008	4260216454967				6.0	
AG9-BP10(0%Hg)	12051009	4260216454974				6.0	
AG10-BP10(0%Hg)	12051010	4260216454981				7.0	
AG11-BP10(0%Hg)	12051011	4260216454998				4.0	
AG12-BP10(0%Hg)	12051012	4260216455001				8.7	
AG13-BP10(0%Hg)	12051013	4260216455018				10.0	

Industrial Classifications

AG0	LR521	G0			379
AG1	LR621	G1	LR60	164	364
AG2	LR726	G2	LR59	196	396
AG3	LR41	G3	LR41	192	392
AG4	LR626	G4	LR66	177	377
AG5	LR754	G5	LR48	193	393
AG6	LR921	G6	LR69	171	371

AG7	LR926	G7	LR57	195	395
AG8	LR1120	G8	LR55	191	391
AG9	LR936	G9	LR45	194	394
AG10	LR1130	G10	LR54	189	389
AG11	LR721	G11	LR58	162	362
AG12	LR43	G12	LR43	186	386
AG13	LR44	G13	LR44	A76	357

Remote Control Batteries

Camelion Remote Control batteries are specially designed for radio and remote controls. They are characterized by their sustainable power and long shelf life, lasting up to three years.





Remote Control Batteries

- Higher voltage than the ordinary micro alkaline batteries
- Stable and stronger energy for small electronic devices
- 0% Mercury
- Individual blister packaging



ITEM(0% Hg)	ITEM NO.	EAN	Voltage (V)	PACKAGING WxHxD (mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W. (kg)	VOLUME (m³)
A11-BP1(0%Hg)	11050111	4260216455049	6V	56 x 92 x 10 1 PC / BLISTER	125 x 95 x 58 20 PACKS	39.5 x 30.5 x 31.5 900 PACKS	7.6	0.0380
A23-BP1(0%Hg)	11050123	4260216455056	12V				8.6	
A27-BP1(0%Hg)	11050127	4260216455063	12V				8.0	
LR32A-BP1(0%Hg)	11050132	4260216455070	9V				6.0	
A23-BP5(0%Hg)	11050523	4260216455087	12V	50 x 160 x 10 5 PCS / BLISTER	170 x 65 x 52 10 PACKS	42.0 x 36.0 x 18.0 360 PACKS	18.0	0.0273
A27-BP5(0%Hg)	11050527	4260216455094	12V				12.0	



4LR44-BP1 Art.-No.: 12050144

6V



Packaging		Gross Weight:
Blister (mm)	1 pcs/pack	15.0 kg
Inner Box	20 packs/box	Volume:
Outer Carton	900 packs/carton	0.0451 cbm

Dimensions	
Blister (mm)	56(W) x 92(H) x (D)
Inner Box (mm)	145(L) x 95(W) x 58(H)
Outer Carton (cm)	45.5(L) x 31.5(W) x 31.5(H)



4LR44-BP5 Art.-No.: 12050544

6V



Packaging		Gross Weight:
Blister (mm)	5 pcs/pack	13.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	192 packs/carton	0.0150 cbm

Dimensions	
Blister (mm)	50(W) x 160(H) x (D)
Inner Box (mm)	170(L) x 78(W) x 52(H)
Outer Carton (cm)	33.5(L) x 19.0(W) x 23.5(H)



4LR43-BP1 Art.-No.: 12050143

6V



Packaging		Gross Weight:
Blister	1 pcs/pack	15.0 kg
Inner Box	20 packs/box	Volume:
Outer Carton	900 packs/carton	0.0451 cbm

Dimensions	
Blister (mm)	56(W) x 92(H) x (D)
Inner Box (mm)	145(L) x 95(W) x 58(H)
Outer Carton (cm)	45.5(L) x 31.5(W) x 31.5(H)



LR11A-BP1 Art.-No.: 11050111

6V




Packaging		Gross Weight:
Blister	1 pcs/pack	7.6 kg
Inner Box	20 packs/box	Volume:
Outer Carton	900 packs/carton	0.038 cbm

Dimensions	
Blister (mm)	56(W) x 92(H) x 10(D)
Inner Box (mm)	125(L) x 95(W) x 58(H)
Outer Carton (cm)	39.5(L) x 30.5(W) x 31.5(H)

Silver Oxide Batteries

Camelion Silver Oxide batteries guarantee long-lasting performance and are specially designed for use in watches, calculators and medical devices such as blood glucose meters, insulin pumps and thermometers. Their extended run time and high voltage stability make them the ideal choice for consistent, long-term power. They also offer high leakage safety and low self-discharge. When you need reliable performance for demanding applications, Camelion silver oxide batteries are the right choice.





Silver Oxide 1.55V

- Powerful output with large capacity, providing stable and safe power
- Lightweight and reliable, easy to storage and use
- Mercury and cadmium free, reduce pollution to the environment



ITEM(0% Hg)	ITEM NO.	EAN	PACKAGING WxHxD (mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W. (kg)	VOLUME (m³)
SR41-BP1(0%Hg)	14051041	4260216455117	55x 92 x 5 1 PC / BLISTER	145 x 95 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	8.5	0.0451
SR43-BP1(0%Hg)	14051043	4260216455124				10.5	
SR44-BP1(0%Hg)	14051044	4260216455131				11.5	
SR54-BP1(0%Hg)	14051054	4260216455148				9.5	
SR57-BP1(0%Hg)	14051057	4260216455155				8.5	
SR58-BP1(0%Hg)	14051058	4260216455162				8	
SR59-BP1(0%Hg)	14051059	4260216455179				8	
SR60-BP1(0%Hg)	14051060	4260216455186				8	
SR63-BP1(0%Hg)	14051063	4260216455193				7.5	
SR66-BP1(0%Hg)	14051066	4260216455209				8	
SR69-BP1(0%Hg)	14051069	4260216455216				9.5	
SR41-BP5(0%Hg)	14055041	4260216455223	55x 190 x 5 5 PCS / BLISTER	195 x 90 x 58 20 PACKS	37.0 x 21.7 x 29.5 360 PACKS	4.5	0.0237
SR43-BP5(0%Hg)	14055043	4260216455230				6.5	
SR44-BP5(0%Hg)	14055044	4260216455247				7.5	
SR54-BP5(0%Hg)	14055054	4260216455254				5.5	
SR57-BP5(0%Hg)	14055057	4260216455261				4.5	
SR58-BP5(0%Hg)	14055058	4260216455278				4	
SR59-BP5(0%Hg)	14055059	4260216455285				4	
SR60-BP5(0%Hg)	14055060	4260216455292				4	
SR63-BP5(0%Hg)	14055063	4260216455308				3.5	
SR66-BP5(0%Hg)	14055066	4260216455315				4	
SR69-BP5(0%Hg)	14055069	4260216455322				5.5	



4SR44-BP1C(0% Hg)

Art.-No.: 14051444

6.2V



Packaging		Gross Weight:
Blister	1 pcs/pack	15.0 kg
Inner Box	20 packs/box	Volume:
Outer Carton	900 packs/carton	0.0451 cbm

Dimensions	
Blister (mm)	55(W) x 92(H) x 5(D)
Inner Box (mm)	145(L) x 95(W) x 58(H)
Outer Carton (cm)	45.5(L) x 31.5(W) x 31.5(H)



4SR44-Bulk

Art.-No.: 14052444

6.2V



Packaging		Gross Weight:
Inner Box	32 packs/box	14.6 kg
Outer Carton	1280 packs/carton	Volume:
		0.0104 cbm

Dimensions	
Inner Box (mm)	102(L) x 52(W) x 30(H)
Outer Carton (cm)	24(L) x 23.5(W) x 18.5(H)

Hearing Aid Batteries

Camelion Hearing Aid batteries are light and reliable. They come in four different sizes suitable for different types of hearing aids. The package is specially designed for easy access, storage and usage.





ZincAir 1.4V

- Powerful output with large capacity, providing stable and safe power
- Lightweight and reliable, easy to storage and use
- Mercury and cadmium free, reduce pollution to the environment



ITEM	ITEM NO.	EAN	WxHxD (mm)	PACKAGING	WxHxD (mm)	INNER BOX	WxHxD (mm)	INNER CARTON	WxHxD (cm)	SHIPPING CARTON	G.W. (kg)	VOLUME (m³)
A13-BP6(0%Hg)	15056013	4260030253975	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	6.5	0.0242
A10-BP6(0%Hg)	15056010	4043752391961	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.0	0.0196
A675-BP6(0%Hg)	15056675	4260030253999	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	9.5	0.0242
A312-BP6(0%Hg)	15056312	4260030253982	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.5	0.0196



Battery Selection Chart

Lithium P7 Batteries		         
Ultra Alkaline Batteries		         
Digi Alkaline Batteries		         
Plus Alkaline Batteries		        
Super Heavy Duty Batteries	 	    
Photo Lithium Batteries		  
9V Lithium Battery		 
Micro Batteries: Lithium		  
Micro Batteries: Alkaline / Silver Oxide	  	  
Hearing Aid Zinc Air		

Please Note:

These are suggested recommendations only. For the most accurate information please refer to your device manufacturer's manual. Camelion is not responsible for accidents resulting from the use of this information

Specifications

	Lithium P7		Digi Alkaline		Plus Alkaline							Super Heavy Duty							
	FR6	FR03	LR6	LR03	LR20	LR14	LR6	LR03	LR61	6LF22**	3LR12	R6	R03	R20	R14	6F22**	3R12*	4R25	R10
Nominal Voltage (V)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	9	4.5	1.5	1.5	1.5	1.5	9	4.5	6	1.5
Average Capacity (mAh)	2800	1100	2800	1100	18000	8500	2800	1100	600	190**	2700*	950	460	5600	2400	450	1700	7000	500

20+/-2°C, Rated capacity at 25 mA continuous drain, to 0.8V

* 20+/-2°C, Rated capacity at 25 mA continuous drain, to 2.7V

** 20+/-2°C, Rated capacity at 25 mA continuous drain, to 4.8V



Camelion®

Rechargeable Batteries

Camelion Rechargeable batteries offer high capacity performance, up to 1.000 recharge cycles, and because they are used again and again they help reduce environmental waste.

AlwaysReady™

Ni-MH Always Ready Rechargeable Batteries

Camelion AlwaysReady battery is ready to be used right from the package. It holds the charge for up to a year. And they can be recharged again and again, saving you money. Are you ready? Try AlwaysReady batteries today!





AlwaysReady™

Ni-MH Always Ready Rechargeable Batteries

- Capacity remaining:
6 months: 90% / 12 months: 85% / 24 months: 80%
- Rechargeable: up to 1000 times



NH-AA2700ARBP2

Art.-No.: 17427206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	13.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2700ARBP4

Art.-No.: 17427406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	12.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500ARBP2

Art.-No.: 17425206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2300ARBP2

Art.-No.: 17423206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2300ARBP4

Art.-No.: 17423406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AAA1100ARBP2

Art.-No.: 17411203

1.2V AAA



4 260216 457821

Packaging
Blister 2 pcs/pack
Inner Box 12 packs/box
Outer Carton 240 packs/carton

Gross Weight:
8.6 kg
Volume:
0.0269 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 11(D)
Inner Box (mm) 125(L) x 84(W) x 97(H)
Outer Carton (cm) 51.0(L) x 27.0(W) x 19.5(H)



NH-AAA1100ARBP4

Art.-No.: 17411403

1.2V AAA



4 260216 457814

Packaging
Blister 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight:
9.5 kg
Volume:
0.0168 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 11(D)
Inner Box (mm) 125(L) x 84(W) x 97(H)
Outer Carton (cm) 31.0(L) x 27.0(W) x 20.0(H)



NH-9V200ARBP1

Art.-No.: 17420122

9V



4 260033 155221

Packaging
Blister 1 pcs/pack
Inner Box 12 packs/box
Outer Carton 240 packs/carton

Gross Weight:
12.0 kg
Volume:
0.0385 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 18(D)
Inner Box (mm) 135(L) x 125(W) x 97(H)
Outer Carton (cm) 51.0(L) x 29.0(W) x 26.0(H)



NH-AA800ARBP2

Art.-No.: 17408206

1.2V AA



4 260216 453236

Packaging
Blister 2 pcs/pack
Inner Box 12 packs/box
Outer Carton 192 packs/carton

Gross Weight:
12.4 kg
Volume:
0.0274 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)
Inner Box (mm) 134(L) x 104(W) x 97(H)
Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA800ARBP4

Art.-No.: 17408406

1.2V AA



4 260216 453229

Packaging
Blister 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 96 packs/carton

Gross Weight:
11.4 kg
Volume:
0.0144 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)
Inner Box (mm) 134(L) x 104(W) x 97(H)
Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AAA600ARBP2

Art.-No.: 17406203

1.2V AAA



4 260216 453250

Packaging
Blister 2 pcs/pack
Inner Box 12 packs/box
Outer Carton 240 packs/carton

Gross Weight:
7.9 kg
Volume:
0.0269 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 11(D)
Inner Box (mm) 125(L) x 84(W) x 97(H)
Outer Carton (cm) 51.0(L) x 27.0(W) x 19.5(H)



NH-AAA600ARBP4

Art.-No.: 17406403

1.2V AAA



4 260216 455674

Packaging
Blister 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight:
8.6 kg
Volume:
0.0168 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 11(D)
Inner Box (mm) 125(L) x 84(W) x 97(H)
Outer Carton (cm) 31.0(L) x 27.0(W) x 20.0(H)



NH-AA600ARBP2(GSL)

Art.-No.: 17406206



1.2V AA

4 260216 457210

Packaging		Gross Weight:
Blister	2 pcs/pack	12.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA600ARBP4(GSL)

Art.-No.: 17406406



1.2V AA

4 260216 455667

Packaging		Gross Weight:
Blister	4 pcs/pack	9.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



Energy Solutions for Solar-Powered Devices

Camelion Ni-MH rechargeable batteries are perfect solutions for outdoor solar powered equipment.

The battery offers a longer life cycle and is outstanding in sustaining its energy when charged by solar powered devices. It is the ideal choice for outdoor equipments such as trail lights.



NH-AA600ARBP4(GSL)

Art.-No.: 17428463



14260216457224

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	9.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)

Ni-MH Batteries

Camelion Ni-MH Rechargeable batteries offer high capacity performance, up to 1000 recharge cycles, and because they are used again and again they help reduce environmental waste. High drain devices such as music players and digital cameras are supported, therefore, you can hear more songs and take more photos.





Ni-MH Batteries

- Rechargeable: up to 1000 times
- Ideal for long-lasting constant energy output (long-term stability)



NH-AA2500BP4

Art.-No.: 17025406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	13.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)	



NH-AA2500BP2

Art.-No.: 17025206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)	



NH-AA1500BP2

Art.-No.: 17015206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)	



NH-AA2700BP4

Art.-No.: 17027406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	13.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)	



NH-AA2700BP2

Art.-No.: 17027206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	14.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)	

Ni-MH Batteries

Camelion Ni-MH Rechargeable batteries offer high capacity performance, up to 1000 recharge cycles, and because they are used again and again they help reduce environmental waste. High drain devices such as music players and digital cameras are supported, therefore, you can hear more songs and take more photos.





NH-AAA1100BP4

Art.-No.: 17011403

1.2V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	9.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 11(D)	
Inner Box (mm)	125(L) x 84(W) x 97(H)	
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)	



NH-AAA1100BP2

Art.-No.: 17011203

1.2V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 11(D)	
Inner Box (mm)	125(L) x 84(W) x 97(H)	
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)	



NH-AAA800BP2

Art.-No.: 17008203

1.2V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 11(D)	
Inner Box (mm)	125(L) x 84(W) x 97(H)	
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)	



NH-D10000BP2

Art.-No.: 17010220

1.2V D



Packaging		Gross Weight:
Blister	2 pcs/pack	17.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0244 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 34(D)	
Inner Box (mm)	165(L) x 135(W) x 105(H)	
Outer Carton (cm)	43.5(L) x 35.0(W) x 16.0(H)	



NH-D2500BP2

Art.-No.: 17025220

1.2V D



Packaging		Gross Weight:
Blister	4 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0234 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 34(D)	
Inner Box (mm)	160(L) x 112(W) x 97(H)	
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)	



NH-C3500BP2

Art.-No.: 17035214

1.2V C



Packaging		Gross Weight:
Blister	2 pcs/pack	16.8 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0248 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 27(D)	
Inner Box (mm)	138(L) x 90(W) x 97(H)	
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)	




NH-9V250BP1

Art.-No.: 17025122

9V (8.4V)



Packaging		Gross Weight:
Blister	1 pcs/pack	12.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0385 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 18(D)	
Inner Box (mm)	135(L) x 125(W) x 97(H)	
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)	



Camelion®

Battery Chargers

Environmentally conscious, fast and secure. Camelion chargers are designed to meet today's needs and standards. Whether ultra-fast, super-fast, solar powered or charge multiple batteries simultaneously. Camelion chargers save time, money and protect the environment.


Battery Charger

Camelion Battery Chargers offer ultimate charging speed. They are decreasing recharge time to one hour to save you time and money.



BC-1091DB

Charges:



Ni-MH



*Different plug models for different countries

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz

Output: 2 x (1.4V $\pm$ 200 mA) AA/AAA Size
1 x (9V $\pm$ 25 mA) 9V Size

MAIN FEATURES

- 3 Independent Charging Channels
- 12 Hours Timer Control
- Reverse Polarity Protection
- Slim and Portable
- Built-in Switching Adaptor for Worldwide Use
- LED Indicators

Red	Charging
Off	Fully charged

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	12 h
Ni-MH AA 2000 mAh	12 h
Ni-MH AA 1500 mAh	10.5 h
Ni-MH AAA 800 mAh	5 h
Ni-MH 9V 200 mAh	9.5 h

AVAILABLE COLORS

Black

BARCODE



PACKAGING



Blister		
Plug:	TUV	UL
Weight (g)	62	75.6
Dimensions (W) x (H) x (D) (mm)	87 x 172 x 50	87 x 172 x 50
Inner Carton		
Packs / Inner ctn	32	32
Net Weight (kg)	1.98	2.42
Gross Weight (kg)	2.42	3.07
Dimensions (L)x (W) x (H) (cm)	39.5 x 37.5 x 18	39.5 x 37.5 x 18
Outer Carton		
Packs / Carton	64	64
Net Weight (kg)	4.0	4.84
Gross Weight (kg)	7.5	6.54
Dimensions (L)x (W) x (H) (cm)	41 x 39 x 39	41 x 39 x 39
Volume (m³)	0.0624	0.0624

BC-1010B

Charges:

2 or 4 × AAA

2 or 4 × AA

Ni-MH



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz 4W Max.

Output: 2 x (2.8V $\approx$ 200mA) AA/AAA Size

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Worldwide Voltage
- 2 LED Indicators

Red	Charging or charge completed
-----	------------------------------

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	17 h
Ni-MH AA 2000 mAh	14 h
Ni-MH AA 1500 mAh	11 h
Ni-MH AAA 800 mAh	5 h
Ni-Cd AA 1000 mAh	6 h
Ni-Cd AAA 300 mAh	2 h

AVAILABLE COLORS

Black

BARCODE

Item No.: 20101010



4 260216 456473

*Different plug models for different countries

PACKAGING



Blister	
Plug:	TUV
Weight (g)	118.2
Dimensions (W) x (H) x (D) (mm)	125 x 204 x 76
Inner Carton	
Packs / Inner ctn	8
Net Weight (kg)	0.95
Gross Weight (kg)	1.3
Dimensions (L)x (W) x (H) (cm)	49.5 x 23.5 x 14
Outer Carton	
Packs / Carton	32
Net Weight (kg)	3.78
Gross Weight (kg)	5.5
Dimensions (L)x (W) x (H) (cm)	50.5 x 48.5 x 30
Volume (m³)	0.0735

BC-1092M

Charges:

- 1-4 × AAA
- 1-4 × AA
- 1-2 × 9V

Ni-MH



*Different plug models for different countries

SPECIFICATIONS

Input: 100-240V~ 50/60 Hz 10W

Output: AA: 1.2V $\pm$ 0.5A)
 AAA: 1.2V $\pm$ 0.25A)
 9V: 9V $\pm$ 0.03A)

MAIN FEATURES

- 6 independent charging channels
- Intelligent charger with 6 levels of safety protection
 - △V cut off
 - Reverse polarity protection
 - Over voltage protection
 - Short circuit protection
 - Safety timer control protection
 - Defective and non-rechargeable battery detection
- LED charging indicators

Red	Charging
Green	Charge completed
Red & Green flashing	Error detected

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	6 h
Ni-MH AA 2000 mAh	7 h
Ni-MH AA 1500 mAh	3.5 h
Ni-MH AAA 1100 mAh	5.5 h
Ni-MH AAA 800 mAh	4 h
Ni-MH 9V 200 mAh	8 h

AVAILABLE COLORS

Black

BARCODE



PACKAGING



Blister	
Plug:	EU
Weight (g)	137
Dimensions (W) x (H) x (D) (mm)	125×200×69
Inner Carton	
Packs / Inner ctn	8
Net Weight (kg)	1.1
Gross Weight (kg)	1.3
Dimensions (L) x (W) x (H) (cm)	43 x 22 x 13.5
Outer Carton	
Packs / Carton	16
Net Weight (kg)	2.20
Gross Weight (kg)	2.90
Dimensions (L) x (W) x (H) (cm)	44.5 x 23.5 x 29.5
Volume (m³)	0.0308

LBC-321

Charges:

1-4 ×
1.2V
3.2V
3.7V
3.85V

Ni-MH

Ni-Cd

Li-Fe

Li-ion



SPECIFICATIONS

Input: USB-C 5V $\equiv$ 2A

Output:

Battery Voltage:

1.2V, 3.2V, 3.7V, 3.85V

Charging Current:

1 PCS: 2.0A(4th Slot Only)

2 PCS: 1.0A / 0.7A / 0.5A

3 PCS: 0.7A / 0.5A

4 PCS: 0.5A

Mobile Power Function:

Output: 5V $\equiv$ 1A (Request lithium battery at the 4th slot)

MAIN FEATURES

- 4 Independent Charging Channels
- Suitable for charging 1-4 pcs AA / AAA / Li-ion batteries
- Automatically identifies battery type
- Multiple safety protections
- Capable of activating 0 Volt batteries
- Four selectable charging currents
- Mobile power function
- LED Charging Indicators

CHARGING TIMES

When charging Current is 500mA

Type of Battery	Charging Times (Appr.)
26650 Lithium-ion 5000 mAh	12 h
18650 Lithium-ion 2500 mAh	6 h
18650 Lithium-ion 2000 mAh	5 h
18650 Lithium-ion 1500 mAh	4 h
17335 Lithium-ion 700 mAh	100 min
Ni-MH AA 2000 mAh	5 h
Ni-MH AAA 1000 mAh	2.5 h

AVAILABLE COLORS

Black

BARCODE



PACKAGING



Blister

Plug:	/
Weight (g)	155
Dimensions (W) x (H) x (D) (mm)	94 x 165 x 30

Inner Carton

Packs / Inner ctn	12
Net Weight (kg)	1.9
Gross Weight (kg)	2.1
Dimensions (L)x (W) x (H) (cm)	28 x 20.5 x 10.5

Outer Carton

Packs / Carton	48
Net Weight (kg)	7.5
Gross Weight (kg)	8.6
Dimensions (L)x (W) x (H) (cm)	44 x 30 x 26
Volume (m³)	0.0343

LBC-305

Charges:

1-2 × 

Li-ion



SPECIFICATIONS

Input: 5V $\pm$ 1A

Output: 3.7V $\pm$ 0.5A

Caution: Specialized charger for 18650 Lithium-ion batteries

MAIN FEATURES

- 2 Independent Charging Channels
- Suitable for flat-top and high top 18650 Li-ion Batteries
- Reverse Polarity Protection
- Overcharge Protection
- Short-circuit Protection
- LED Charging Indicators

Red	Charging
Green	Charge completed

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
18650 Lithium-ion 2600 mAh	6.5 h
18650 Lithium-ion 2200 mAh	5.5 h
18650 Lithium-ion 1800 mAh	4.5 h
18650 Lithium-ion 1500 mAh	4 h

AVAILABLE COLORS

 Black

BARCODE



PACKAGING



Blister	
Plug:	/
Weight (g)	108
Dimensions (W) x (H) x (D) (mm)	95 x 176 x 64
Inner Carton	
Packs / Inner ctn	10
Net Weight (kg)	0.84
Gross Weight (kg)	1.2
Dimensions (L) x (W) x (H) (cm)	48.6 x 18.1 x 10.5
Outer Carton	
Packs / Carton	40
Net Weight (kg)	3.36
Gross Weight (kg)	4.78
Dimensions (L) x (W) x (H) (cm)	49.6 x 37.8 x 23
Volume (m³)	0.0431



Battery Charging Table

Directions:

The following table lists out charging times for specific Camelion chargers and batteries.

For example, to find the charging time for the BC-0907 charger using a Nickel Metal Hydride AA2500mah battery, first locate the BC-0907 column. Then locate the AA2500mah row. Finally, the point of intersection indicates the value, which is 80min.

Camelion Model	BC-1091DB	BC-1010B	BC-0904SM	BC-0906SM	LBC-305 Li-Ion	LBC-321 Li-Ion			
						500mA	700mA	1000mA	2000mA
Timer Control	Voltage Cut Off	NA	NA	NA	NA	NA			
Ni-MH Batteries									
NH-D2500	NA	NA	NA	14h	NA	NA			
NH-C2500	NA	NA	NA	14h	NA	7h	5h	3.5h	90min
NH-AA2700	T/C 12h	17h	20h	14h	NA	7h	5h	3.5h	90min
NH-AA2600	T/C 12h	16h	20h	13h	NA	7h	5h	3.5h	90min
NH-AA2500	T/C 12h	16h	19h	13h	NA	7h	5h	3.5h	90min
NH-AA2300	T/C 12h	16h	18h	12h	NA	6h	4.5h	3h	85min
NH-AA2200	T/C 12h	15h	18h	12h	NA	6h	4.5h	3h	80min
NH-AA2000	T/C 12h	14h	17h	11h	NA	5.5h	4h	2.5h	70min
NH-AA1800	T/C 12h	13h	16h	10h	NA	5h	4h	2.5h	65min
NH-AA1500	11h	11h	14h	8h	NA	4h	3h	2h	55min
NH-AAA1100	6h	6h	19h	4.5h	NA	2.5h	100min	70min	35min
NH-AAA1000	5.5h	5.5h	17h	4.5h	NA	2.5h	100min	70min	35min
NH-AAA900	5h	5h	15h	4h	NA	2h	90min	65min	35min
NH-AAA800	5h	5h	14h	3.5h	NA	2h	90min	60min	30min
NH-AAA600	3.5h	3.5h	11h	3h	NA	90min	60min	45min	20min
NH-9V250	NA	NA	NA	14h	NA	NA			
NH-9V200	NA	NA	NA	11h	NA	NA			

Notes:

NA - Not Applicable.

T/C: Charger has timer control. This is the cut off time, whether the battery is fully charged or not..

All the data is based on Camelion latest lab tests. Charging times may vary based upon temperature, product age, voltage and other conditions.

This data sheet is for customer reference purposes only and to help customers choose the appropriate product. Contents do not constitute a warranty. For information on specific Camelion products please visit our website at www.camelion.com or contact us directly at info@camelion.com.




Camelion®

Displays & Merchandise

From the Latin term *Promotio*, Promotion means idea or highlighting. With our promotional items we want to support sales at the POS (Point of Sale), promote sales and to leave a lasting Impression.

Metal Displays

Maximum Impact, Minimum Space, Optimal Sales



Sales Promotional Material

When you want your Camelion products to have maximum impact you need optimal POP promotional material.

For the latest sales accessories and premiums please contact us at info@camelion.com

WCD-02 	WCD-03 	WCD-05 	Metal Counter Display WCD-02 33 x 43 x 22cm (6 hooks) WCD-03 33 x 58 x 22cm (9 hooks) WCD-05 44 x 66 x 20cm (12 hook) • Sturdy steel construction for long use • Easy to see, easy to reach • Light weight for easy portability • Available in Metal Black
--	--	--	---



Metal Counter Display

WCD-06

- Durable furnace-tested metal finish
- 20 Racks (L = 15 cm)
- Simple and lightweight design
- Dimensions: L x W x H: 35 x 35 x 160 cm

Qty for Each Hook:

AAA Size: 10 packs
 AA Size: 7 packs
 9V Size: 6 packs
 C Size: 5 packs
 D Size: 4 packs



Metal Floor Display

MFD-03

- Professional, slim and elegant design in black
- 36 hooks, 2 trays
- Up to 300 to 400 holes
(ideal for 20 to 30 large / medium-sized blisters)

HW-04



HW-05



HW-06



HW-07



Following Racks

- HW-04** 12 Clear Plastic Hook Racks
 W x H: 7.5 x 62 cm
- HW-05** 12 White Plastic Hook Racks
 W x H: 6.2 x 77.5 cm
- HW-06** 12 Black Plastic Hook Racks
 W x H: 84 x 11.3 cm
- HW-07** 12 Clear Plastic Hook Racks
 W x H: 84 x 11.3 cm

Display Box

Maximum Impact, Minimum Space, Optimal Sales



Display Box



DR16 Promotion Display "8+4 free"

- Plus Alkaline floor display for promotion blister "8+4 free" (AA I AAA)
- Hight (total) 1,17m + palett
- Width 0,55m
- Depth 0,38m
- Material Cardboard
- Surface shiny
- 12x grids = 12 storage compartments
- 48x LR6 „8+4 free" (8 storage compartments)
6 blister per storage compartment
- 36 x LR03 „8+4 free" (4 storage compartments)
- 84 blister total



Plus Alkaline LR6 BP8+4
Art. Nr. 110 84006
EAN 4260216453915
carton 48 / innerbox 6



Plus Alkaline LR03 BP8+4
Art. Nr. 110 84003
EAN 4260216453922
carton 72 / innerbox 6



DR16 Promotion Display "24"

- Plus Alkaline floor display for plastic box "24" (AA I AAA)
- Hight (total) 1,17m + palett
- Width 0,55m
- Depth 0,38m
- Material Cardboard
- Surface shiny
- 32x grids = 32 storage compartments
- 60 x LR6 „24" (20 storage compartments)
3 boxes per storage compartment
- 48 x LR03 „24" (12 storage compartments)
4 boxes per storage compartment
- 108 boxes total



Plus Alkaline LR6 PB24
Art. Nr. 111 02406
EAN 4260033150455
carton 30 / innerbox 6



Plus Alkaline LR03 PB24
Art. Nr. 111 02403
EAN 4260033150462
carton 30 / innerbox 6



DR16 Promotion Display "40"

- Plus Alkaline floor display for promotion shrink "SP40" (AA I AAA)
- Hight (total) 1,17m + pallet
- Width 0,57m
- Depth 0,38m
- Material Cardboard
- Surface shiny
- 126 x LR6/AA SP40
3 Rows x 6 x 7 Packs = 126 Packs
- 64 x LR03/AAA SP40
1 Row x 8 x 8 Packs = 64 Packs
- 190 Packs total



Plus Alkaline LR6/AA SP40
Art. Nr. 11104006
EAN 4260216456428
carton 12



Plus Alkaline LR03/AAA SP40
Art. Nr. 11104003
EAN 4260216456435
carton 16





Camelion®

Mobile Lights

Maximum Illumination in a Professional, Durable Design

Camelion offers a very wide range of mobile lights. From the standard flashlight to professional portable searchlight, the Camelion models are suitable for almost life situations.

Classic LED Flashlights

Camelion Flashlights are built with great features for super illumination, excellent color rendering, durability, and longevity. Each flashlight is crafted to deliver reliable lighting performance for every possible lighting environments.





Classic Flashlights

- Super bright and replaceable LED bulb
- 100 lumens of light
- Long battery service life
- Many Color Options

Best for:

- Indoor & outdoor usage
- Household use



FL1L2AA2R6P



1 LED

FL1L2AA2R6P
4 260033 155566



FL1L2AAD24



1 LED

FL1L2AAD24
4 260033 155603



FL1L2DR20P



1 LED

FL1L2DR20P
4 260033 155542



FL1L2DD12



1 LED

FL1L2DD12
4 260033 155610

SPECIFICATIONS

Model #	Name	Bulb Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
FL1L2AA	Classic Flashlights	LED	100 lm	2 x AA	Plastic	Red Yellow Blue Black	N
FL1L2D	Classic Flashlights	LED	100lm	2 x D	Plastic	Red Yellow Blue Black	N

PACKAGING DETAILS

Item#	Name	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
				Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
				L Length	W Width	D Depth			L Length	W Width	D Depth			
FL1L2AA2R6P	Classic Flashlights	Blister Pack	2 x R6P	99	211	38	88	60	40	30	23	0.0276	5.7	5.3
FL1L2AAD24		Display box	——	230	154	150	1116	8	48	33	32.5	0.0515	9.29	8.2
FL1L2DR20P	Classic Flashlights	Blister Pack	2 x R20P	158	292	64	313	24	46	31.5	31	0.0449	8.7	7.5
FL1L2DD12		Display box	——	250	188	195	1332	4	51.5	40	21.5	0.0443	6.75	5.3



LED Pocket Flashlight

- Ultra shock resistant up to 3 meters drop height
- Continuous lighting up to 20 hrs*
- LED light source
- Water resistant (IPX4)**
- Slim portable design

Best for:

Traveling, hiking, camping, fishing and athletics

*Camelion 2015 lab tests, LED brightness will attenuate when battery power is weak.

**An IPX4 designation means it will withhold against rain and jets of water, but it not suitable nor guaranteed to survive for swimming or immerse under water.

*** An IPX7 designation means it can withstand accidental immersion in water within the depth of one meter for up to 30 minutes.



LED Rubber Flashlight

- Heavy Duty Rubberized Case
- Shockproof up to 2 meters drop
- Water Resistant (up to IPX7***)
- Shatterproof Optical Lens
- Non Slip Grip oil/grease resistant grip with push button switch and end strap
- Never replace LEDs 100,000 hr lifetime
- Brightness Intensifying Optical Cavity Design

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Mode	Body Material	Available Colors	Water Resistant (Y/N)
HP7011	1	Osram 3030 LED	150 lm	3 x AAA	Plastic	 Red Green	Y
PT1L2D	1	1W LED	45 lm	2 x D	Rubber	 Red Blue	Y
PT1L2AA	1	1 x 8mm Straw Hat LED	45 lm	2 x AA	Rubber	 Red Blue	Y

PACKAGING DETAILS

Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
			L Length	W Width	D Depth			L Length	W Width	H Height			
HP7011-3R03BP	Blister Pack	3R03P	110	190	40	96.5	48	51.5	21.5	26.5	0.0294	6.4	4.7
PT1L2D-2R20PBP	Blister Pack	2 x 2R20P	305	175	70	446	24	50.5	45	33	0.0750	11.7	10.7
PT1L2AA-2R6PBP	Blister Pack	2 x R6P	248	120	50	161	48	49.5	36	33	0.0588	8.7	7.7


Up to
20 Hrs
Continuous
use



HP7011



HP7011-3R03BP




Up to
140 Hrs
Continuous
use



PT1L2D



PT1L2D-2R20BPB




Up to
20 Hrs
Continuous
use



PT1L2AA




PT1L2AA-2R6PBP



LED Search Lights

Discover unparalleled illumination with **Camelion Search Lights**, engineered to provide powerful and precise lighting for any situation. Whether you're navigating the outdoors, conducting search and rescue operations, or enhancing security, these search lights are designed to deliver exceptional performance. Featuring high-intensity LEDs and a mirrored parabolic reflector, Camelion Search Lights project a focused beam of light that can reach impressive distances. With robust construction and energy-efficient technology, these lights offer durability and long-lasting use. Ideal for professional and personal applications, Camelion Search Lights are your reliable partner in the dark, ensuring visibility and safety when you need it most.



S32



S32-3R6PCB



RS225



RS225-CB



2-IN-1 Spotlight

- 3W White LED + 3W dual-color COB
- 2-in-1 multi-functional search light
- Adjustable handle for easy use in different scenarios
- 5 lighting modes including side panel

LED Search Lamp Modes:



COB Area Lantern Modes:



Rechargeable Search Light

- 10W high power LED and dual-color SMD
- Multifunctional as lighting and power supply
- Ultra high illumination - up to 1000 lm
- Long beam distance up to 480 m
- Adjustable shoulder strap and ergonomic handle
- 7 lighting modes



SPECIFICATIONS

Model#	LEDs	LED Type	Lumen Output	Battery Mode	Run Time (approx)	Beam Distance	Ingress Protection
S32	1	3W COB LED	LED High: 230 lm LED Low: 160 lm COB White: 150 lm	3 x AA (R6P)	LED High: 4 h LED Low: 6 h COB: 6 h	200 m	IPX4
RS225	1	10W SMD LED	Front LED White High: 1000 lm Front LED White Low: 470 lm Middle SMD White High: 420 lm Middle SMD White Low: 270 lm	3.7V, 4800mAh lithium battery pack (built-in)	Front LED White High: 3.5 h Front LED White Low: 9.5 h Middle SMD White High: 10 h Middle SMD White Low: 18 h	480 m	/

PACKAGING DETAILS

Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
S32-3R6PCB	Color Box	3 x R6P	185	105	148	390	6	39	33.5	17	0.0222	3.15	2.35
RS225-CB	Color Box	Lithium	200	107	146	545	18	44	40.5	42	0.0748	13.9	12

Multi-Purpose Lights

Illuminate your world with **Camelion's Multi-Purpose Lights**, designed to meet all your lighting needs with efficiency and reliability. Whether you're at home, at work, or exploring the great outdoors, these versatile lights are your perfect companion. Ideal for a variety of applications, including workshops, medical practices, and camping trips, Camelion Multi-Purpose Lights are easy to handle and practical in design, making them a must-have for any situation.




RT81



3-in-1 LED Rechargeable Light Kit

- 3 interchangeable heads for different lighting needs
- 5 Lighting Modes - High / Medium / Low / SOS / Strobe
- Super Bright - 600 lm (flashlight head), 400 lm (work light head), 200 lm (flexible gooseneck head)
- Flashlight and flex-light offer adjustable beam focus
- Work light turns around 360° horizontally and vertically
- Concealed USB port with LED charging indicator
- A carrying case included for storing components



RT81-18650-26TB



4 260216 458200

SPECIFICATIONS

	Light Source	Lighting Modes	Lumen Output	Continuous Operating Time	Beam Distance	Ingress Protection
Flashlight Head	Lumileds Luxeon HL2X	High Medium Low SOS Strobe	High: 600 lm Medium: 300 lm Low: 150 lm	High: 3 h Medium: 6 h Low: 12 h	250 m / 820.21 ft	IP54
Work Light Head	COB White		High: 400 lm Medium: 200 lm Low: 100 lm	High: 3 h Medium: 6 h Low: 15 h	30 m / 98.43 ft	
Flexible Gooseneck Head	Osram P8		High: 200 lm Medium: 100 lm Low: 50 lm	High: 6.5 h Medium: 11.5 h Low: 26 h	100 m / 328.08 ft	

PACKAGING DETAILS

Item#	Packaging Type	Included Bat- teries	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
RT81-18650-26TB	Blister Pack	18650	228	355	37	800	12	73	38	28.5	0.022	12.45	9.6

Camelion®

...for more energy



North America

- Canada
- U. S. A

Caribbean/Latin America

- Argentina
- Brazil
- Bolivia
- Chile
- Colombia
- Costa Rica
- Cuba
- Dominica
- Ecuador
- EL Salvador
- Guatemala
- Haiti
- Mexico
- Nicaragua
- Panama
- Paraguay
- Peru
- Puerto Rico
- Trinidad and Tobago
- Uruguay
- Venezuela

Middle East /Africa

- Algeria
- Benin
- Andorra
- Egypt
- Iran
- Israel
- Kuwait
- Lebanon
- Morocco
- Sierra Leone
- Saudi Arabia
- Syria
- S. Africa
- Tunisia
- U.A.E.
- Uganda

Europe

- Austria
- Albania
- Andorra
- Belarus
- Belgium
- Bosnia
- Bulgaria
- Czech Republic
- Croatia
- Cyprus
- Denmark
- Estonia
- Finland
- France
- Germany
- Georgia
- Greece
- Hungary
- Iceland
- Ireland
- Italy
- Montenegro

Asia

- Latvia
- Lithuania
- Luxembourg
- Macedonia
- Malta
- Netherlands
- Norway
- Portugal
- Poland
- Romania
- Russia
- Serbia
- Slovakia
- Slovenia
- Spain
- Sweden
- Switzerland
- Turkey
- United Kingdom
- Ukraine

Oceania

- Afghanistan
- Armenia
- Azerbaijan
- Bangladesh
- Cambodia
- China
- Hong Kong
- Indonesia
- India
- Iraq
- Japan
- Jordan
- Korea
- Kazakhstan
- Laos
- Malaysia
- Pakistan
- Philippines
- Singapore
- Sri Lanka
- Taiwan
- Thailand
- Turkmenistan
- Vietnam
- Yemen
- Australia
- Fiji
- New Zealand

EUROPE HEAD OFFICE / WAREHOUSE

Camelion Batterien GmbH.

Bergiusstr. 53-59, D-12057 Berlin,
Germany



For more information visit www.camelion.com



Camelion Batterien GmbH

Copyright ©2024 Batterien GmbH, All rights reserved

CA-2024/2025EN